

# Catalist Guide References

- AIMS Center. (2024, January 30). *About Collaborative Care*. <https://aims.uw.edu/collaborative-care/>
- Baker, K. A., Campbell, N. J., Noonan, D., Thompson, J. A., & Derouin, A. (2022). Vaping prevention in a middle school population using CATCH My Breath. *Journal of Pediatric Health Care: Official Publication of National Association of Pediatric Nurse Associates & Practitioners*, 36(2), 90–98. <https://doi.org/10.1016/j.pedhc.2021.07.013>
- Balis, L. E., Kennedy, L. E., Houghtaling, B., & Harden, S. M. (2021). Red, yellow, and green light changes: Adaptations to extension health promotion programs. *Prevention Science*, 22(7), 903–912. <https://doi.org/10.1007/s11121-021-01222-x>
- Bassuk, E. L., Hanson, J., Greene, R. N., Richard, M., & Laudet, A. (2016). Peer-delivered recovery support services for addictions in the United States: A systematic review. *Journal of Substance Abuse Treatment*, 63, 1–9. <https://doi.org/10.1016/j.jsat.2016.01.003>
- Berkeley County, WV. (n.d.). *Berkeley Day Report Center*. Retrieved February 14, 2024, from <https://www.berkeleywv.org/445/Day-Report-Center>
- Bernstein, E., Bernstein, J., & Levenson, S. (1997). Project ASSERT: An ED-based Intervention to increase access to primary care, preventive services, and the substance abuse treatment system. *Annals of Emergency Medicine*, 30(2), 181–189. [https://doi.org/10.1016/S0196-0644\(97\)70140-9](https://doi.org/10.1016/S0196-0644(97)70140-9)
- Bernstein, E., Edwards, E., Dorfman, D., Heeren, T., Bliss, C., & Bernstein, J. (2009). Screening and brief intervention to reduce marijuana use among youth and young adults in a pediatric emergency department. *Academic Emergency Medicine*, 16(11), 1174–1185. <https://doi.org/10.1111/j.1553-2712.2009.00490.x>
- Canacott, L., Moghaddam, N., & Tickle, A. (2019). Is the Wellness Recovery Action Plan (WRAP) efficacious for improving personal and clinical recovery outcomes? A systematic review and meta-analysis. *Psychiatric Rehabilitation Journal*, 42(4), 372–381. <https://doi.org/10.1037/prj0000368>
- Carroll, K. M., Ball, S. A., Nich, C., Martino, S., Frankforter, T. L., Farentinos, C., Kunkel, L. E., Mikulich-Gilbertson, S. K., Morgenstern, J., Obert, J. L., Polcin, D., Snead, N., & Woody, G. E. (2006). Motivational interviewing to improve treatment engagement and outcome in individuals seeking treatment for substance abuse: A multisite effectiveness study. *Drug and Alcohol Dependence*, 81(3), 301–312. <https://doi.org/10.1016/j.drugalcdep.2005.08.002>
- Cooper, B. R., Parker, L., & Martinez, A. D. (2019). *Balancing fidelity and adaptation: A guide for evidence-based program implementation*. Washington State University. Extension. <https://rex.libraries.wsu.edu/esploro/outputs/99900501630001842>
- de Arellano, M. A. R., Lyman, D. R., Jobe-Shields, L., George, P., Dougherty, R. H., Daniels, A. S., Ghose, S. S., Huang, L., & Delphin-Rittmon, M. E. (2014). Trauma-Focused Cognitive-Behavioral Therapy for children and adolescents: Assessing the evidence. *Psychiatric Services*, 65(5), 591–602. <https://doi.org/10.1176/appi.ps.201300255>
- Dennis, M., Godley, S. H., Diamond, G., Tims, F. M., Babor, T., Donaldson, J., Liddle, H., Titus, J. C., Kaminer, Y., Webb, C., Hamilton, N., & Funk, R. (2004). The Cannabis Youth Treatment (CYT) study: Main findings from two randomized trials. *Journal of Substance Abuse Treatment*, 27(3), 197–213. <https://doi.org/10.1016/j.jsat.2003.09.005>

- Dennis, M. L., Chan, Y.-F., & Funk, R. R. (2006). Development and validation of the GAIN Short Screener (GSS) for internalizing, externalizing and substance use disorders and crime/violence problems among adolescents and adults. *The American Journal on Addictions, 15*(Suppl 1), 80–91. <https://doi.org/10.1080/10550490601006055>
- Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., Koss, M. P., & Marks, J. S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: The adverse childhood experiences (ACE) study. *American Journal of Preventive Medicine, 14*(4), 245–258. [https://doi.org/10.1016/S0749-3797\(98\)00017-8](https://doi.org/10.1016/S0749-3797(98)00017-8)
- Foa, E. B., Johnson, K. M., Feeny, N. C., & Treadwell, K. R. H. (2001). The Child PTSD Symptom Scale: A preliminary examination of its psychometric properties. *Journal of Clinical Child & Adolescent Psychology, 30*(3), 376–384. [https://doi.org/10.1207/S15374424JCCP3003\\_9](https://doi.org/10.1207/S15374424JCCP3003_9)
- Gawrysiak, M., Nicholas, C., & Hopko, D. R. (2009). Behavioral activation for moderately depressed university students: Randomized controlled trial. *Journal of Counseling Psychology, 56*(3), 468–475. <https://doi.org/10.1037/a0016383>
- Godley, M. D., Passetti, L. L., Hunter, B. D., Greene, A. R., & White, W. L. (2019). A randomized trial of Volunteer Recovery Support for Adolescents (VRSA) following residential treatment discharge. *Journal of Substance Abuse Treatment, 98*, 15–25. <https://doi.org/10.1016/j.jsat.2018.11.014>
- Graham, A. L., Jacobs, M. A., Amato, M. S., Cha, S., Bottcher, M. M., & Papandonatos, G. D. (2020). Effectiveness of a quit vaping text message program in promoting abstinence among young adult e-cigarette users: Protocol for a randomized controlled trial. *JMIR Research Protocols, 9*(5). <https://doi.org/10.2196/18327>
- Health Leads. (2018). *Social needs screening toolkit*. [https://healthleadsusa.org/wp-content/uploads/2023/05/Screening\\_Toolkit\\_2018.pdf](https://healthleadsusa.org/wp-content/uploads/2023/05/Screening_Toolkit_2018.pdf)
- Hofmann, S. G., Asnaani, A., Vonk, I. J. J., Sawyer, A. T., & Fang, A. (2012). The efficacy of cognitive behavioral therapy: A review of meta-analyses. *Cognitive Therapy and Research, 36*(5), 427–440. <https://doi.org/10.1007/s10608-012-9476-1>
- Horigian, V. E., Feaster, D. J., Robbins, M. S., Brincks, A. M., Ucha, J., Rohrbaugh, M. J., Shoham, V., Bachrach, K., Miller, M., Burlew, A. K., Hodgkins, C. C., Carrion, I. S., Silverstein, M., Werstlein, R., & Szapocznik, J. (2015). A cross-sectional assessment of the long-term effects of brief strategic family therapy for adolescent substance use. *The American Journal on Addictions, 24*(7), 637–645. <https://doi.org/10.1111/ajad.12278>
- Jensen, T. K., Holt, T., & Ormhaug, S. M. (2017). A follow-up study from a multisite, randomized controlled trial for traumatized children receiving TF-CBT. *Journal of Abnormal Child Psychology, 45*(8), 1587–1597. <https://doi.org/10.1007/s10802-017-0270-0>
- Joh, J. Y., Kim, S., Park, J. L., & Kim, Y. P. (2013). Relationship between family adaptability, cohesion and adolescent problem behaviors: Curvilinearity of circumplex model. *Korean Journal of Family Medicine, 34*(3), 169–177. <https://doi.org/10.4082/kjfm.2013.34.3.169>
- Kamon, J., Budney, A., & Stanger, C. (2005). A contingency management intervention for adolescent marijuana abuse and conduct problems. *Journal of the American Academy of Child & Adolescent Psychiatry, 44*(6), 513–521. <https://doi.org/10.1097/01.chi.0000159949.82759.64>
- Kelder, S., Mantey, D. S., Van Dusen, D., Case, K., Haas, A., & Springer, A. (2020). A middle school program to prevent e-cigarette use: A pilot study of “CATCH My Breath.” *Public Health Reports, 135*(2), 220–229. <https://doi.org/10.1177/0033354919900887>

- Kroenke, K., Spitzer, R. L., & Williams, J. B. W. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine*, *16*(9), 606–613. <https://doi.org/10.1046/j.1525-1497.2001.016009606.x>
- Lejuez, C. W., Hopko, D. R., Acierno, R., Daughters, S. B., & Pagoto, S. L. (2011). Ten year revision of the brief behavioral activation treatment for depression: Revised treatment manual. *Behavior Modification*, *35*(2), 111–161. <https://doi.org/10.1177/0145445510390929>
- Lenz, A. S., Rosenbaum, L., & Sheperis, D. (2016). Meta-Analysis of randomized controlled trials of motivational enhancement therapy for reducing substance use. *Journal of Addictions & Offender Counseling*, *37*(2), 66–86. <https://doi.org/10.1002/jaoc.12017>
- Levy, S., Weitzman, E. R., Marin, A. C., Magane, K. M., Wisk, L. E., & Shrier, L. A. (2020). Sensitivity and specificity of S2BI for identifying alcohol and cannabis use disorders among adolescents presenting for primary care. *Substance Abuse*, 1–8. <https://doi.org/10.1080/08897077.2020.1803180>
- Malone, G. P., Pillow, D. R., & Osman, A. (2012). The General Belongingness Scale (GBS): Assessing achieved belongingness. *Personality and Individual Differences*, *52*(3), 311–316. <https://doi.org/10.1016/j.paid.2011.10.027>
- Manzoni, G. M., Pagnini, F., Castelnovo, G., & Molinari, E. (2008). Relaxation training for anxiety: A ten-years systematic review with meta-analysis. *BMC Psychiatry*, *8*, 1–12. <https://doi.org/10.1186/1471-244X-8-41>
- McCauley, E., Gudmundsen, G., Schloretd, K., Martell, C., Rhew, I., Hubley, S., & Dimidjian, S. (2016). The adolescent behavioral activation program: Adapting behavioral activation as a treatment for depression in adolescence. *Journal of Clinical Child & Adolescent Psychology*, *45*(3), 291–304. <https://doi.org/10.1080/15374416.2014.979933>
- Meyer, D., Lerner, E., Phillips, A., & Zumwalt, K. (2020). Universal screening of social determinants of health at a large US academic medical center, 2018. *American Journal of Public Health*, *110*(S2), S219–S221. <https://doi.org/10.2105/AJPH.2020.305747>
- Noar, S. M., Rohde, J. A., Horvitz, C., Lazard, A. J., Cornacchione Ross, J., & Sutfin, E. L. (2019). Adolescents' receptivity to e-cigarette harms messages delivered using text messaging. *Addictive Behaviors*, *91*, 201–207. <https://doi.org/10.1016/j.addbeh.2018.05.025>
- Oser, C. B., Harp, K. L. H., O'Connell, D. J., Martin, S. S., & Leukefeld, C. G. (2012). Correlates of participation in peer recovery support groups as well as voluntary and mandated substance abuse treatment among rural and urban probationers. *Journal of Substance Abuse Treatment*, *42*(1), 95–101. MEDLINE with Full Text. <https://doi.org/10.1016/j.jsat.2011.07.004>
- Oud, M., de Winter, L., Vermeulen-Smit, E., Bodden, D., Nauta, M., Stone, L., van den Heuvel, M., Taher, R. A., de Graaf, I., Kendall, T., Engels, R., & Stikkelbroek, Y. (2019). Effectiveness of CBT for children and adolescents with depression: A systematic review and meta-regression analysis. *European Psychiatry*, *57*, 33–45. <https://doi.org/10.1016/j.eurpsy.2018.12.008>
- Paquette, K. L., Pannella Winn, L. A., Wilkey, C. M., Ferreira, K. N., & Donegan, L. R. W. (2019). A framework for integrating young peers in recovery into adolescent substance use prevention and early intervention. *Addictive Behaviors*, *99*, 106080. <https://doi.org/10.1016/j.addbeh.2019.106080>
- Petry, N. M., Martin, B., Cooney, J. L., & Kranzler, H. R. (2000). Give them prizes and they will come: Contingency management for treatment of alcohol dependence. *Journal of Consulting and Clinical Psychology*, *68*(2), 250–257. <https://doi.org/10.1037/0022-006X.68.2.250>
- Prendergast, M., Podus, D., Finney, J., Greenwell, L., & Roll, J. (2006). Contingency management for treatment of substance use disorders: A meta-analysis. *Addiction*, *101*(11), 1546–1560. <https://doi.org/10.1111/j.1360-0443.2006.01581.x>

- Puddy, R. W., & Wilkins, N. (2011). *Understanding evidence Part 1: Best available research evidence. A guide to the continuum of evidence of effectiveness*. Centers for Disease Control and Prevention. [https://www.cdc.gov/violenceprevention/pdf/understanding\\_evidence-a.pdf](https://www.cdc.gov/violenceprevention/pdf/understanding_evidence-a.pdf)
- Racco, A., & Vis, J.-A. (2015). Evidence based trauma treatment for children and youth. *Child & Adolescent Social Work Journal*, 32(2), 121–129. <https://doi.org/10.1007/s10560-014-0347-3>
- Resilience Research Center. (2019). *Child and youth resilience measure (CYRM- R) & adult resilience measure (ARM-R) [Manual 2.2]*. Dalhousie University. <https://cym.resilienceresearch.org/>
- Robbins, M. S., Szapocznik, J., Horigian, V. E., Feaster, D. J., Puccinelli, M., Jacobs, P., Burlew, K., Werstlein, R., Bachrach, K., & Brigham, G. (2009). Brief strategic family therapy™ for adolescent drug abusers: A multi-site effectiveness study. *Contemporary Clinical Trials*, 30(3), 269–278. <https://doi.org/10.1016/j.cct.2009.01.004>
- Rodenburg, R., Benjamin, A., de Roos, C., Meijer, A. M., & Stams, G. J. (2009). Efficacy of EMDR in children: A meta-analysis. *Clinical Psychology Review*, 29(7), 599–606. <https://doi.org/10.1016/j.cpr.2009.06.008>
- Saitz, R., Palfai, T. P. A., Cheng, D. M., Alford, D. P., Bernstein, J. A., Lloyd-Travaglini, C. A., Meli, S. M., Chaisson, C. E., & Samet, J. H. (2014). Screening and brief intervention for drug use in primary care: The ASPIRE randomized clinical trial. *JAMA*, 312(5), 502–513. <https://doi.org/doi:10.1001/jama.2014.7862>
- Stanger, C., Budney, A. J., Kamon, J. L., & Thostensen, J. (2009). A randomized trial of contingency management for adolescent marijuana abuse and dependence. *Drug and Alcohol Dependence*, 105(3), 240–247. <https://doi.org/10.1016/j.drugalcdep.2009.07.009>
- Stanger, C., Ryan, S. R., Scherer, E. A., Norton, G. E., & Budney, A. J. (2015). Clinic- and home-based contingency management plus parent training for adolescent cannabis use disorders. *Journal of the American Academy of Child & Adolescent Psychiatry*, 54(6), 445-453.e2. <https://doi.org/10.1016/j.jaac.2015.02.009>
- Stige, S. H., Eik, I., Oddli, H. W., & Moltu, C. (2021). Negotiating system requirements to secure client engagement: Therapist strategies in adolescent psychotherapy initiated by others. *Frontiers in Psychology*, 12, 704136. <https://doi.org/10.3389/fpsyg.2021.704136>
- Substance Abuse and Mental Health Services Administration. (2002). *Finding the balance: Program fidelity and adaptation in substance abuse*. Center for Substance Abuse Prevention. <https://www.csun.edu/sites/default/files/FindingBalance2.pdf>
- Substance Abuse and Mental Health Services Administration. (2020a). *Keeping Youth Drug Free*. Publications and Digital Products. <https://store.samhsa.gov/product/keeping-youth-drug-free/sma17-3772>
- Substance Abuse and Mental Health Services Administration. (2020b). *Talk. They Hear You*. [https://www.stopalcoholabuse.gov/media/resources/2020\\_Talk\\_They\\_Hear\\_You-Annual\\_Report.pdf](https://www.stopalcoholabuse.gov/media/resources/2020_Talk_They_Hear_You-Annual_Report.pdf)
- Truth Initiative. (2024). *This is Quitting*. <https://truthinitiative.org/thisisquitting>
- Valdez, A., Cepeda, A., Parrish, D., Horowitz, R., & Kaplan, C. (2013). An Adapted Brief Strategic Family Therapy for gang-affiliated Mexican American adolescents. *Research on Social Work Practice*, 23(4), 383–396. <https://doi.org/10.1177/1049731513481389>
- Williams, N. (2014). The GAD-7 questionnaire. *Occupational Medicine*, 64(3), 224–224. <https://doi.org/10.1093/occmed/kqt161>